

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|---------------------------------------|------------------|---------|---------------------|
| L1 | 724 | B60J005/00.ipc. | US-PGPUB; USPAT; USOCR; DERWENT | AND | ON | 2009/02/24 13:11 |
| L2 | 14 | 1 and (grommit or sheath) | US-PGPUB; USPAT; USOCR; DERWENT | AND | ON | 2009/02/24 13:12 |
| L3 | 137 | 1 and cable | US-PGPUB; USPAT; USOCR; DERWENT | AND | ON | 2009/02/24 13:14 |
| L4 | 16 | ("3909047" "4907836" "4943241" "5126507" "5448017" "5584144" "5716044" "5879047" "5884961" "5994645" "6051790" "6079764" "6135538").PN. OR ("6534713").URPN. | US-PGPUB; USPAT; USOCR | AND | ON | 2009/02/24 13:15 |
| L5 | 664 | H02G003/00.ipc. | US-PGPUB; USPAT; USOCR; DERWENT | AND | ON | 2009/02/24 13:17 |
| L6 | 51 | 5 and (grommit or sheath) | US-PGPUB; USPAT; USOCR; DERWENT | AND | ON | 2009/02/24 13:17 |
| L7 | 296 | 5 and cable | US-PGPUB; USPAT; USOCR; DERWENT | AND | ON | 2009/02/24 13:18 |
| L8 | 766 | H02G003/04.ipc. | US-PGPUB; USPAT; USOCR; DERWENT | AND | ON | 2009/02/24 13:21 |
| S1 | 1179 | (296/208,146.9,146.11,146.12).CCLS. | US-PGPUB; USPAT; DERWENT | OR | OFF | 2008/08/29 13:52 |
| S2 | 4 | S1 and sheath | USPAT; USOCR; DERWENT | AND | OFF | 2008/08/29 13:54 |
| S3 | 2 | S1 and protective with sleeve | USPAT; USOCR; DERWENT | AND | OFF | 2008/08/29 13:55 |
| S4 | 21 | S1 and grommet | USPAT; USOCR; DERWENT | AND | OFF | 2008/08/29 13:56 |
| S5 | 3 | S1 and door and body and (wire or cable) with slack | USPAT; USOCR; DERWENT | AND | OFF | 2008/08/29 14:00 |
| S6 | 26 | ("3836415" "4652772" "4700961").PN. OR ("4862011").URPN. | US-PGPUB; USPAT; USOCR | AND | OFF | 2008/08/29 14:01 |
| S7 | 437 | "277"/\$.ccls. and sheath | USPAT; USOCR; DERWENT | AND | OFF | 2008/09/01 14:49 |
| S8 | 19 | "277"/\$.ccls. and sheath and vehicle | USPAT; USOCR; DERWENT | AND | OFF | 2008/09/01 14:51 |
| S9 | 427 | door and sheath and wire and vehicle | USPAT; USOCR; DERWENT | AND | OFF | 2008/09/01 14:54 |
| S10 | 159 | door and sheath and wire and vehicle and pivot | USPAT; USOCR; DERWENT | AND | OFF | 2008/09/01 15:01 |

| | | | | | | |
|-----|-------|---|--------------------------------|-----|-----|---------------------|
| S11 | 131 | wire with door with protect | USPAT; USOCR; DERWENT | AND | OFF | 2008/09/01 15:02 |
| S12 | 0 | wire with door with protect with fastener | USPAT; USOCR; DERWENT | AND | OFF | 2008/09/01 15:09 |
| S13 | 2 | wire with door with protect with clip | USPAT; USOCR; DERWENT | AND | OFF | 2008/09/01 15:09 |
| S14 | 32669 | (174/68.1-136).CCLS. | US-PGPUB; USPAT; DERWENT | OR | OFF | 2008/09/02 08:06 |
| S15 | 18 | S14 and (grommet or sheath) with vehicle with door | USPAT; USOCR; DERWENT | AND | OFF | 2008/09/02 08:06 |
| S16 | 2840 | S14 and (grommet or sheath) | USPAT; USOCR; DERWENT | AND | OFF | 2008/09/02 08:09 |
| S17 | 238 | S14 and (grommet or sheath) and (fastener or anchor) | USPAT; USOCR; DERWENT | AND | OFF | 2008/09/02 08:23 |
| S18 | 4 | S14 and (grommet or sheath) and bracket and clip with wall | USPAT; USOCR; DERWENT | AND | OFF | 2008/09/02 08:28 |
| S21 | 317 | (174/152g).CCLS. | US-PGPUB; USPAT; DERWENT | OR | OFF | 2008/09/02 08:41 |
| S22 | 13 | grommet and two with prong\$2 with fastener | USPAT; USOCR; DERWENT | AND | OFF | 2008/09/02 08:50 |
| S23 | 0 | grommet and bracket with staple adj like | USPAT; USOCR; DERWENT | AND | OFF | 2008/09/02 09:01 |
| S24 | 176 | grommet and staple | USPAT; USOCR; DERWENT | AND | OFF | 2008/09/02 09:02 |
| S25 | 570 | vehicle with wire with clip | USPAT; USOCR; DERWENT | AND | OFF | 2008/09/02 09:04 |
| S26 | 0 | wire with harness with snap with cli[| USPAT; USOCR; DERWENT | AND | OFF | 2008/09/02 09:09 |
| S27 | 5 | wire with harness with snap with clip | USPAT; USOCR; DERWENT | AND | OFF | 2008/09/02 09:09 |
| S28 | 58 | vehicle with door with spring with clip | USPAT; USOCR; DERWENT | AND | OFF | 2008/09/02 09:13 |
| S29 | 1 | ("1764946").URPN. | USPAT | AND | OFF | 2008/09/02 09:15 |
| S30 | 0 | air with ductwith door with spring with clip | USPAT; USOCR; DERWENT | AND | OFF | 2008/09/02 09:16 |
| S31 | 0 | air with duct with door with spring with clip | USPAT; USOCR; DERWENT | AND | OFF | 2008/09/02 09:16 |
| S32 | 14 | air with duct and door with spring with clip | USPAT; USOCR; DERWENT | AND | OFF | 2008/09/02 09:16 |
| S33 | 2 | ("6095595").PN. | US-PGPUB; USPAT; DERWENT | OR | OFF | 2008/09/02 09:17 |
| S34 | 0 | vehicle and staple with bracket with sheath | USPAT; USOCR; DERWENT | AND | OFF | 2008/09/02 09:20 |
| S35 | 0 | door and staple with bracket with sheath | USPAT; USOCR; DERWENT | AND | OFF | 2008/09/02 09:21 |
| S36 | 2 | staple with bracket with sheath | USPAT; USOCR; DERWENT | AND | OFF | 2008/09/02 09:21 |

| | | | | | | |
|-----|------|--|--------------------------------|-----|-----|---------------------|
| S37 | 0 | staple with bracket with grommet | USPAT; USOCR; DERWENT | AND | OFF | 2008/09/02 09:30 |
| S38 | 1 | staple with bracket with harness | USPAT; USOCR; DERWENT | AND | OFF | 2008/09/02 09:30 |
| S39 | 9 | ("5164546").URPN. | USPAT | AND | OFF | 2008/09/02 09:56 |
| S40 | 3 | ("2337781" "4782560").PN. | US-PGPUB; USPAT; USOCR | AND | OFF | 2008/09/02 09:57 |
| S41 | 51 | ("0827000" "2219169" "2474158" "2816769" "2903227" "2942829" "3072784" "3327310" "3333808" "3350120" "3529860" "3592434" "3767253" "3792510" "3822850" "3952877" "4139101" "4396325" "4645473" "4708189" "4770086" "4794974" "4874028" "5038889" "5056753" "5129774" "5308280" "5345989" "5524693").PN. OR ("5924469"). URPN. | US-PGPUB; USPAT; USOCR | AND | OFF | 2008/09/02 09:59 |
| S42 | 46 | grommet with door with mount | USPAT; USOCR; DERWENT | AND | OFF | 2008/09/02 10:05 |
| S43 | 12 | ("2337781" "4782560").PN. OR ("5164546").URPN. | US-PGPUB; USPAT; USOCR | AND | OFF | 2008/09/02 10:16 |
| S44 | 1376 | S14 and wire with protect\$4 | US-PGPUB; USPAT; USOCR | AND | OFF | 2008/09/02 10:28 |
| S45 | 32 | S14 and wire with protect\$4 and pivot | US-PGPUB; USPAT; USOCR | AND | OFF | 2008/09/02 10:35 |
| S46 | 12 | ("20020113460" "20020129962" "5556059" "5884961" "5957702" "6051790" "6092859" "6217375" "6354651" "6417451" "6479748" "6536835").PN. | US-PGPUB; USPAT; USOCR | AND | OFF | 2008/09/02 10:37 |
| S47 | 3 | ("4653799" "4862011" "5716044").PN. | US-PGPUB; USPAT; USOCR | AND | OFF | 2008/09/02 10:39 |
| S48 | 22 | (US-6354651-\$ or US-6312046-\$ or US- 5588260-\$ or US-5092647-\$ or US-4862011- \$ or US-6652289-\$ or US-6135538-\$ or US- 6050839-\$ or US-6328498-\$ or US-5511442- \$ or US-6933439-\$ or US-6534713-\$ or US- 6494523-\$ or US-7102080-\$ or US-5924469- \$ or US-5164546-\$ or US-5884961-\$ or US- 5716044-\$).did. or (US-1764946-\$).did. or (WO-2008068980-\$ or JP-2008021425-\$ or JP-2007287645-\$).did. | USPAT; USOCR; DERWENT | AND | OFF | 2008/09/02 10:43 |
| S49 | 3 | "411"/\$.ccls. and bracket with lugs and clip | USPAT; USOCR; DERWENT | AND | OFF | 2008/09/02 11:21 |
| S50 | 0 | "411"/\$.ccls. and bracket with lugs and c- shaped | USPAT; USOCR; DERWENT | AND | OFF | 2008/09/02 11:21 |
| S51 | 7 | "411"/\$.ccls. and bracket with arm and c- shaped | USPAT; USOCR; DERWENT | AND | OFF | 2008/09/02 11:22 |
| S52 | 5 | "411"/\$.ccls. and bracket with c-shaped | USPAT; USOCR; DERWENT | AND | OFF | 2008/09/02 11:22 |
| S53 | 1219 | (296/208,146.9,146.11,146.12).CCLS. | US-PGPUB; USPAT; DERWENT | OR | OFF | 2009/02/23 14:06 |

| | | | | | | |
|-----|-------|---|--------------------------------|-----|-----|---------------------|
| S54 | 4 | S53 and sheath | USPAT; USOCR; DERWENT | AND | OFF | 2009/02/23 14:06 |
| S55 | 2 | S53 and protective with sleeve | USPAT; USOCR; DERWENT | AND | OFF | 2009/02/23 14:06 |
| S56 | 22 | S53 and grommet | USPAT; USOCR; DERWENT | AND | OFF | 2009/02/23 14:06 |
| S57 | 3 | S53 and door and body and (wire or cable) with slack | USPAT; USOCR; DERWENT | AND | OFF | 2009/02/23 14:06 |
| S58 | 26 | ("3836415" "4652772" "4700961").PN. OR ("4862011").URPN. | US-PGPUB; USPAT; USOCR | AND | OFF | 2009/02/23 14:06 |
| S59 | 440 | "277"/\$.ccls. and sheath | USPAT; USOCR; DERWENT | AND | OFF | 2009/02/23 14:06 |
| S60 | 19 | "277"/\$.ccls. and sheath and vehicle | USPAT; USOCR; DERWENT | AND | OFF | 2009/02/23 14:06 |
| S61 | 433 | door and sheath and wire and vehicle | USPAT; USOCR; DERWENT | AND | OFF | 2009/02/23 14:06 |
| S62 | 161 | door and sheath and wire and vehicle and pivot | USPAT; USOCR; DERWENT | AND | OFF | 2009/02/23 14:06 |
| S63 | 146 | wire with door with protect | USPAT; USOCR; DERWENT | AND | OFF | 2009/02/23 14:06 |
| S64 | 0 | wire with door with protect with fastener | USPAT; USOCR; DERWENT | AND | OFF | 2009/02/23 14:06 |
| S65 | 3 | wire with door with protect with clip | USPAT; USOCR; DERWENT | AND | OFF | 2009/02/23 14:06 |
| S66 | 33513 | (174/68.1-136).CCLS. | US-PGPUB; USPAT; DERWENT | OR | OFF | 2009/02/23 14:06 |
| S67 | 18 | S66 and (grommet or sheath) with vehicle with door | USPAT; USOCR; DERWENT | AND | OFF | 2009/02/23 14:06 |
| S68 | 2871 | S66 and (grommet or sheath) | USPAT; USOCR; DERWENT | AND | OFF | 2009/02/23 14:06 |
| S69 | 241 | S66 and (grommet or sheath) and (fastener or anchor) | USPAT; USOCR; DERWENT | AND | OFF | 2009/02/23 14:06 |
| S70 | 4 | S66 and (grommet or sheath) and bracket and clip with wall | USPAT; USOCR; DERWENT | AND | OFF | 2009/02/23 14:06 |
| S71 | 319 | (174/152g).CCLS. | US-PGPUB; USPAT; DERWENT | OR | OFF | 2009/02/23 14:06 |
| S72 | 13 | grommet and two with prong\$2 with fastener | USPAT; USOCR; DERWENT | AND | OFF | 2009/02/23 14:06 |
| S73 | 0 | grommet and bracket with staple adj like | USPAT; USOCR; DERWENT | AND | OFF | 2009/02/23 14:06 |
| S74 | 178 | grommet and staple | USPAT; USOCR; DERWENT | AND | OFF | 2009/02/23 14:06 |
| S75 | 590 | vehicle with wire with clip | USPAT; USOCR; DERWENT | AND | OFF | 2009/02/23 14:06 |
| S76 | 0 | wire with harness with snap with cli[| USPAT; USOCR; DERWENT | AND | OFF | 2009/02/23 14:06 |
| S77 | 5 | wire with harness with snap with clip | USPAT; USOCR; DERWENT | AND | OFF | 2009/02/23 14:06 |

| | | | | | | |
|-----|------|---|--------------------------------|-----|-----|---------------------|
| S78 | 58 | vehicle with door with spring with clip | USPAT; USOCR; DERWENT | AND | OFF | 2009/02/23 14:06 |
| S79 | 1 | ("1764946").URPN. | USPAT | AND | OFF | 2009/02/23 14:06 |
| S80 | 0 | air with ductwith door with spring with clip | USPAT; USOCR; DERWENT | AND | OFF | 2009/02/23 14:06 |
| S81 | 0 | air with duct with door with spring with clip | USPAT; USOCR; DERWENT | AND | OFF | 2009/02/23 14:06 |
| S82 | 14 | air with duct and door with spring with clip | USPAT; USOCR; DERWENT | AND | OFF | 2009/02/23 14:06 |
| S83 | 2 | ("6095595").PN. | US-PGPUB; USPAT; DERWENT | OR | OFF | 2009/02/23 14:06 |
| S84 | 0 | vehicle and staple with bracket with sheath | USPAT; USOCR; DERWENT | AND | OFF | 2009/02/23 14:06 |
| S85 | 0 | door and staple with bracket with sheath | USPAT; USOCR; DERWENT | AND | OFF | 2009/02/23 14:06 |
| S86 | 2 | staple with bracket with sheath | USPAT; USOCR; DERWENT | AND | OFF | 2009/02/23 14:06 |
| S87 | 0 | staple with bracket with grommet | USPAT; USOCR; DERWENT | AND | OFF | 2009/02/23 14:06 |
| S88 | 1 | staple with bracket with harness | USPAT; USOCR; DERWENT | AND | OFF | 2009/02/23 14:06 |
| S89 | 9 | ("5164546").URPN. | USPAT | AND | OFF | 2009/02/23 14:06 |
| S90 | 3 | ("2337781" "4782560").PN. | US-PGPUB; USPAT; USOCR | AND | OFF | 2009/02/23 14:06 |
| S91 | 51 | ("0827000" "2219169" "2474158" "2816769" "2903227" "2942829" "3072784" "3327310" "3333808" "3350120" "3529860" "3592434" "3767253" "3792510" "3822850" "3952877" "4139101" "4396325" "4645473" "4708189" "4770086" "4794974" "4874028" "5038889" "5056753" "5129774" "5308280" "5345989" "5524693").PN. OR ("5924469"). URPN. | US-PGPUB; USPAT; USOCR | AND | OFF | 2009/02/23 14:06 |
| S92 | 46 | grommet with door with mount | USPAT; USOCR; DERWENT | AND | OFF | 2009/02/23 14:06 |
| S93 | 12 | ("2337781" "4782560").PN. OR ("5164546").URPN. | US-PGPUB; USPAT; USOCR | AND | OFF | 2009/02/23 14:06 |
| S94 | 1426 | S66 and wire with protect\$4 | US-PGPUB; USPAT; USOCR | AND | OFF | 2009/02/23 14:06 |
| S95 | 34 | S66 and wire with protect\$4 and pivot | US-PGPUB; USPAT; USOCR | AND | OFF | 2009/02/23 14:06 |
| S96 | 12 | ("20020113460" "20020129962" "5556059" "5884961" "5957702" "6051790" "6092859" "6217375" "6354651" "6417451" "6479748" "6536835").PN. | US-PGPUB; USPAT; USOCR | AND | OFF | 2009/02/23 14:06 |
| S97 | 3 | ("4653799" "4862011" "5716044").PN. | US-PGPUB; USPAT; USOCR | AND | OFF | 2009/02/23 14:06 |

| | | | | | | |
|------|------|--|---------------------------------|-----|-----|------------------|
| S98 | 22 | (US-6354651-\$ or US-6312046-\$ or US-5588260-\$ or US-5092647-\$ or US-4862011-\$ or US-6652289-\$ or US-6135538-\$ or US-6050839-\$ or US-6328498-\$ or US-5511442-\$ or US-6933439-\$ or US-6534713-\$ or US-6494523-\$ or US-7102080-\$ or US-5924469-\$ or US-5164546-\$ or US-5884961-\$ or US-5716044-\$).did. or (US-1764946-\$).did. or (WO-2008068980-\$ or JP-2008021425-\$ or JP-2007287645-\$).did. | USPAT; USOCR; DERWENT | AND | OFF | 2009/02/23 14:06 |
| S99 | 3 | "411"/\$.ccls. and bracket with lugs and clip | USPAT; USOCR; DERWENT | AND | OFF | 2009/02/23 14:06 |
| S100 | 0 | "411"/\$.ccls. and bracket with lugs and c-shaped | USPAT; USOCR; DERWENT | AND | OFF | 2009/02/23 14:06 |
| S101 | 7 | "411"/\$.ccls. and bracket with arm and c-shaped | USPAT; USOCR; DERWENT | AND | OFF | 2009/02/23 14:06 |
| S102 | 5 | "411"/\$.ccls. and bracket with c-shaped | USPAT; USOCR; DERWENT | AND | OFF | 2009/02/23 14:06 |
| S103 | 8 | ("5092647" "6079764" "6278060" "6312046" "6479748" "6825416" "6942276" "7244894").PN. OR ("7423224").URPN. | US-PGPUB; USPAT; USOCR | AND | ON | 2009/02/23 14:42 |
| S104 | 1816 | (174/650,655,657,668-669,660,135).CCLS. | US-PGPUB; USPAT; DERWENT | OR | OFF | 2009/02/23 14:54 |
| S105 | 326 | "174"/\$.ccls. and (grommet or sheath) with body with connect\$2 | US-PGPUB; USPAT; USOCR; DERWENT | AND | ON | 2009/02/23 15:39 |
| S106 | 31 | "174"/\$.ccls. and (grommet or sheath) with body with connect\$2 with flange | US-PGPUB; USPAT; USOCR; DERWENT | AND | ON | 2009/02/23 15:41 |
| S107 | 1 | cable with passage with system and (sheath with flange with connect\$2) | US-PGPUB; USPAT; USOCR; DERWENT | AND | ON | 2009/02/23 15:43 |
| S108 | 254 | wire with harness with fastener | US-PGPUB; USPAT; USOCR; DERWENT | AND | ON | 2009/02/23 16:08 |
| S109 | 129 | (439/604).CCLS. | US-PGPUB; USPAT; DERWENT | OR | OFF | 2009/02/23 16:27 |
| S110 | 590 | (439/587).CCLS. | US-PGPUB; USPAT; DERWENT | OR | OFF | 2009/02/23 16:29 |

2/24/2009 1:58:22 PM

C:\Documents and Settings\Mblack\My Documents\EAST\Workspaces\10541323.wsp